

Reactofix HEI Dyes

N. Blue HERI 150%

3.0% On Mercerised Cotton

CHARACTERISTICS

- Good solubility.
- More suitable for navy and black shades. Suitable for post mercerising and bleaching.
- Normally recommended in trichromy for medium to dark shades.

TECHNICAL SPECIFICATIONS

General Properties

SUITABILITY

Exhaust	Suitable
Temp °C.....	80
Affinity	High
Dischargeability	Medium
	Dischargeable

SOLUBILITY

Plain Water	75
with 50 g/l Salt	60

Note: The information contained herein, is provided in good faith but without warranty. It is the responsibility of the user to test our products as to their suitability for any application, use or processing. No Statement is intended or should be construed as a recommendation to infringe any patent and the responsibility to observe any such patent right, rests with the user.

(Without Warranty)

Fastness Properties

LIGHT ISO 105/B02

1/1 SD	4
--------------	---

WASHING ISO 105/C0

Change in Shade	4-5
Staining on Adjacent Fabric	4-5

PERSPIRATION ISO 105/E04

Acidic Change in Shade	4-5
Alkaline Change in Shade.....	4-5

BLEACHING ISO 105/N02

NaOCl Change in Shade.....	2-3 Duller
H2O2 Change in Shade.....	4-5

Chlorinated Pool Water ISO 105/E03

Change in Shade	4 Duller
-----------------------	----------

Sea Water ISO 105/E02

Change in Shade	4-5
Post Bleaching	Suitable