


Reactofix HEI Dyes

Yellow HE6GI

3.0% On Mercerised Cotton



CHARACTERISTICS

- Moderate suitability and light fastness.
- Better coverage of dead cotton.
- Combines well with **Reactofix TQ. Blue HA5GI** for bright green shades.

TECHNICAL SPECIFICATIONS

General Properties

SUITABILITY

Exhaust	Suitable
Temp °C.....	80
Affinity.....	High
Dischargeability.....	Dischargeable

SOLUBILITY

Plain Water.....	50
with 50 g/l Salt	25

Fastness Properties

LIGHT ISO 105/B02

1/1 SD	4-5
--------------	-----

WASHING ISO 105/C0

Change in Shade	5
Staining on Adjacent Fabric	5

PERSPIRATION ISO 105/E04

Acidic Change in Shade	5
Alkaline Change in Shade	5

BLEACHING ISO 105/N02

NaOCl Change in Shade.....	1-2
H2O2 Change in Shade	3

Chlorinated Pool Water ISO 105/E03

Change in Shade	4R
-----------------------	----

Sea Water ISO 105/E02

Change in Shade.....	3
Post Bleaching	Less Suitable

Note: The information contained herein, is provided in good faith but without warranty. It is the responsibility of the user to test our products as to their suitability for any application, use or processing. No Statement is intended or should be construed as a recommendation to infringe any patent and the responsibility to observe any such patent right, rests with the user.

(Without Warranty)